



AG-NUTRI
PTY. LTD.

TAS CAL-MAG + BORON

Ca 14%, N 14%, Mg 4%, B 0.1%

Plant available calcium & magnesium plus boron
to enhance crop quality

- ▶ Chloride free formulation for optimum crop safety
- ▶ Contains lignosulphonate chelate to enhance foliar uptake
- ▶ Added boron improves calcium uptake/movement
- ▶ Lignin binding properties enhances rain-fastness
- ▶ Calcium/boron for better quality & longer shelf life
- ▶ Magnesium to promote winter growth
- ▶ Compatible with agri-chemicals



APPLICATION

Brassica: Four sprays @ 2-4 L/ha prior to head formation. **Carrot:** 2-4 L/ha starting 4 weeks after planting & repeat every 2-3 weeks. **Onion:** 2-4 L/ha at bulb initiation & repeat every 2-3 weeks (up to 4 sprays). **Poppies:** Two sprays @ 2-4 L/ha prior to flowering. **Potato:** 5 L/ha at tuber set & repeat every 2-3 weeks (up to 4 sprays).

• SA/TAS/WA - 0408 633 661 • QLD/NT - 0439 520 744 • VIC/NSW - 0407 040 820 •
• Email: info@sjbagnutri.com.au • Technical support - 0407 040 820 • Fax: (03) 5862 1279 •

