



AG~NUTRI

www.sjbagnutri.com.au  
info@sjbagnutri.com.au  
Tech Support: 0407 040 820

# Liquid Fully Chelated Lignin Fertilizer™

## Calcium + Boron PLEX

ANALYSIS	w/v%
Calcium (as calcium lignosulphonate)	7.0
Boron (as ammonium ligno-borate)	1.0

Supply available nutrients to your soil & also ideal for foliar application in slower growing crops such as citrus & cereals.

#### COMPATIBILITY:

All PLEX formulations are compatible with each other except Boron PLEX & Phos PLEX ( These two products should be applied separately). Please contact SJB Tech Support before mixing PLEX products with non-PLEX fertilizers.

#### GENERAL INFORMATION:

This product is chelated (protected from becoming unavailable) with naturally occurring Lignin compounds to provide maximum foliar & root absorption.

#### CONDITIONS OF SALE:

The Manufacturer warrants that this chelated nutrient product contains the active constituents and chelating compounds, as specified, and it is for the purpose of supplying the appropriate major nutrient or correcting micro-nutrient deficiency, when used in accordance with directions under normal conditions of use. No one, other than the officer of the Manufacturer, is authorised to make any warranty, guarantee or direction concerning the product as the time, place, rate of application and other conditions are beyond the control of the Manufacturer.

Australian Owned & Manufactured by SJB AG~NUTRI PTY. LTD.

©2014

#### APPLICATION RATES:

**General Rate:** 10 L/ha every 7-14 days up the drip. Also use in combination with LIG-CALCIUM + B @ 7.5 L/ha over the leaf.

**SOIL APPLICATION: Capsicum & Tomato:** 7.5-10 L/ha every 7-14 days. **Cucurbits:** 10 L/ha every 10-14 days. **Strawberries:** 7.5-10 L/ha every 7-14 days. **Tree crops:** 10 L/ha every 14 days. **Vegetables:** 10 L/ha every 10-14 days.

**Vines:** 10 L/ha pre-flowering, fruit set & bunch closure.

#### RECOMMENDATIONS:

The PLEX range has been formulated for soil application via fertigation systems. PLEX products can also be used as foliar fertilizers in slower growing crops where speed of nutrient correction is not as critical.

#### SAFETY DIRECTIONS:

Avoid contact with skin and eyes and avoid breathing in vapour or spray mist.

Batch No.	Contents	20L	200L	1000L

