



**AG~NUTRI  
PTY. LTD.**

# LIG-MAGNESIUM (10%)

## The role of magnesium in plants

- essential nutrient for optimum photosynthesis
- required for sugar & starch (potatoes) production to increase yields
- enhances the colour of many fruit crops



## The benefits of using LIG-MAGNESIUM

- chelated formulation is readily absorbed & translocates quickly to developing fruits and tubers
- binds to leaves & will not wash off even under centre pivot irrigation
- enhances fruit quality
- can reduce the incidence of bunch stem necrosis in grapes
- compatible with chemical & nutrient sprays



## Application of LIG-MAGNESIUM

**Carrots** – 3 sprays @ 5-10 L/ha during early & mid-growth stages.  
**Citrus** - 5 L/ha at Spring flush, fruit set & Autumn flush.  
**Potatoes** - 5 L/ha at tuber set & 5-10 L/ha four weeks later.  
**Stonefruit** - 5 L/ha 10-14 days after petal fall & repeat 2-3 weeks later.  
**Strawberries** - 5-10 L/ha pre-flowering & every 14 days during fruiting.  
**Vines** - 5 L/ha prior to flowering & at fruit set. For vines sensitive to bunch stem closure repeat at bunch closure & Veraison.

• SA/TAS/WA - 0408 633 661 • QLD/NT - 0439 520 744 • VIC/NSW – 0407 040 820

• Email: [info@sjbagnutri.com.au](mailto:info@sjbagnutri.com.au) • Technical support - 0407 040 820 • Fax: (03) 5862 1279 •

